

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	388	("6888937") or ("6910148") or ("6915444") or ("20020023117") or ("20030023892") or ("20050086350") or ("20060120366") or ("20080267208") or ("7042876") or ("7315512") or ("7515551") or ("20030051203") or ("20050105695") or ("20050265346") or ("20060159082") or ("20080077667") or ("20080154904") or ("20080155212") or ("20080168176") or ("6396170") or ("6671253") or ("7093160") or ("7174476") or ("20030046604") or ("20030097481") or ("20040216012") or ("20060031378") or ("20060177061") or ("20070043733") or ("20070179993") or ("20080313279") or ("20090070571") or ("4354229") or ("4918728") or ("5224205") or ("5485579") or ("5491791") or ("5502724") or ("5550976") or ("5581461") or ("5642350") or ("5657440") or ("5913028") or ("5924094") or ("6002751") or ("6029171") or ("6032175") or ("6061734") or ("6061794") or ("6065037") or ("6128647") or ("6128690") or ("6148383") or ("6181707") or ("6202094") or ("6250930") or ("6321347") or ("6370656") or ("6385643") or ("6405104") or ("6408328") or ("6421678") or ("6434158") or ("6462652") or ("6467085") or ("6469629") or ("6487167") or ("6496694") or ("6530841") or ("6556569") or ("6574665") or ("6574753") or ("6622147") or ("6636505") or ("6658485") or ("6671367") or ("6674725") or ("6691172") or ("6701214") or ("6721898") or ("6731926") or ("6745027") or ("6754484") or ("6765925") or ("6772215") or ("6807165") or ("6865157") or ("6865599") or ("6873839") or	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:19

("6886096") or ("6920144") or  
("6928442") or ("6941555") or  
("6954792") or ("6955918") or  
("6987839") or ("6993651") or  
("6996398") or ("7020796") or  
("7031798") or ("7050799") or  
("7053764") or ("7110366") or  
("7113987") or ("7117264") or  
("7136927") or ("7142644") or  
("7145892") or ("7154901") or  
("7167920") or ("7167979") or  
("7180864") or ("7188145") or  
("7191224") or ("7197565") or  
("7206862") or ("7212492") or  
("7249165") or ("7263560") or  
("7263614") or ("7269133") or  
("7269698") or ("7272636") or  
("7277948") or ("7283467") or  
("7286468") or ("7286841") or  
("7302512") or ("7304973") or  
("7308688") or ("7315890") or  
("7350014") or ("7363053") or  
("7363431") or ("7363534") or  
("7369867") or ("7370336") or  
("7386459") or ("7401153") or  
("7430616") or ("7434220") or  
("7437419") or ("7453876") or  
("7463579").PN. or ("7463592")  
or ("7467190") or ("7472193") or  
("7475142") or ("7480638") or  
("7496602") or ("7502806") or  
("7512943") or ("7516182") or  
("7529230") or ("7533172") or  
("7533389") or ("7536467") or  
("7543030") or ("7543034") or  
("7543070") or ("7552217") or  
("7552355") or ("7555555") or  
("7562151") or ("20010005883")  
or ("20010011215") or  
("20010031454") or  
("20010053694") or  
("20020019825") or  
("20020049760") or  
("20020069218") or  
("20020080750") or  
("20020085526") or  
("20020089945") or  
("20020090949") or  
("20020091826") or  
("20020107934") or  
("20020114004") or  
("20020119770") or  
("20020119821") or  
("20020124081") or  
("20020131427") or  
("20020143855") or  
("20020143944") or  
("20020147771") or  
("20020147810") or  
("20020150075") or  
("20020152299") or

		("20020154009") or ("20020156875") or ("20020164974") or ("20020165627") or ("20020165976") or ("20020167908") or ("20020169888") or ("20020184311") or ("20020184358") or ("20020184487") or ("20020188657") or ("20020198055")).PN.				
L4	318	I3 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:20
L5	0	reduant\$4 and I3 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21
L6	49	(reduant\$4 or duplicat\$4) and I3 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21
L7	49	(reduant\$4 or duplicat\$4) and I3 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21
L8	31	(reduant\$4 or duplicat\$4) same message and I3 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21
L9	27	(reduant\$4 or duplicat\$4) with message and I3 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/29 11:21
S1	12428	(709/218,219,224,235).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:17

S2	8	((("20020184310") or ("20030055892") or ("20020119821") or ("20010044339")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:23
S3	2	("6829634").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:24
S4	79	("peer to peer" or P2P) same redundan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:27
S5	5	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:25
S6	47	("peer to peer" or P2P) same redundan\$4 and (send\$4 or transmit\$4 or reciec\$4) same (identical or similar) same (message or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:25
S7	1	redunc\$4 same message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:34
S8	24687	(Internet or online) same gam\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:43
S9	38	(Internet or online) same gam\$4 same ("peer to peer" or P2P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:46
S10	14	(Internet or online) same gam\$4 same ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:24

S11	43	("peer to peer" or P2P) same redundan\$4 and (send\$4 or transmit\$4 or reciec\$4) same (identical or similar) same (message or information) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S12	1326	(compar\$4) same (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:44
S13	20	(compar\$4) with (many or multiple or several) with (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:47
S14	20	S13 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:45
S15	707	(compar\$4) with (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:47
S16	407	((compar\$4) with (message or "data packet" or packet)).ab,ti. and redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:48
S17	313	(compar\$4) with (message or "data packet" or packet) with redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:48
S18	5	(compar\$4) with (message or "data packet" or packet) with redund\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 08:09
S19	8	(compar\$4) with (message or "data packet" or packet) same redund\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:50

S20	3	S19 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:50
S21	9	("4872003"   "5548819"   "5610905"   "5966431"   "6304569"   "6473425"   "6493343"   "6507562").PN. OR ("6891801").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/10 08:55
S22	2	("7194654").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:58
S23	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:07
S24	306	(broad\$cast\$4) with (message or data) with redunda\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:09
S25	78	((broad\$cast\$4) with (message or data) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S26	78	S25 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:09
S27	0	S25 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10
S28	12853	(709/218,219,224,235).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10

S29	0	S25 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10
S30	2	((broad\$cast\$4) with (message or data) with redunda\$4).ab,ti. and (peer\$4to\$4peer or "P2P") and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:12
S31	14	((broad\$cast\$4) with (message or data) with redunda\$4) and (peer \$4to\$4peer or "P2P") and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:06
S32	12	S31 not S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:12
S33	6	("peer to peer" or P2P) same (compar\$4) with (message or packet or data) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:26
S34	153734	(compar\$4) near2 (message or packet or data) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S35	52171	(compar\$4) near2 (message or packet or data).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S36	93510	(compar\$4 or determin\$4) near2 (message or packet or data).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S37	54777	(compar\$4 or determin\$4) adj2 (message or packet or data).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28

S38	4	(compar\$4 or determin\$4) adj2 (message or packet or data).ab,ti. and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S39	1	(compar\$4) adj2 (message or packet or data).ab,ti. and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:39
S40	43	(compar\$4) adj2 (message or packet or data) and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:29
S41	43	S40 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:29
S42	4121	redunda\$4 with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S43	1	redunda\$4 with message same ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S44	12	redunda\$4 with message and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:45
S45	13	(redunda\$4 or un\$want\$4 or repetiti44) with message and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:40
S46	1	S45 not S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:40



S47	15	(peer\$to\$peer or P2P) same (compar\$4) with (ID) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 08:09
S48	21	(peer\$to\$peer or P2P) same (compar\$4) with (ID or identification ) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:32
S49	33	(peer\$to\$peer or P2P) same (relay \$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:37
S50	8028	(compar\$4) adj (ID or identification or identity or IP) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:40
S51	7494	(compar\$4) adj (ID or identification or identity) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:40
S52	34	(compar\$4) adj (ID or identification or identity) adj2 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:41
S53	33	S52 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:41
S54	4122	redunda\$4 with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:45
S55	579508	redunda\$4 ajd3 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:45

S56	1288	redunda\$4 adj3 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:35
S57	55	redunda\$4 adj3 message with compar\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S58	91	S57 no9t S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S59	54	S57 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S60	1735	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:36
S61	3	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same (P2P or peer \$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:39
S62	101	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and (P2P or peer \$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:39
S63	0	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message).ab.ti. and (P2P or peer\$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S64	115	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:05

S65	46	((redunda\$4 or duplicate or "same") adj (ID or identification) same message).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 04:38
S66	46	S65 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S67	13	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same compar\$4). ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S68	151	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:05
S69	82	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S70	10	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S71	0	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same (updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S72	49	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:10
S73	1938	(message and(updat\$4) with (send \$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:10

S74	675	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:11
S75	2	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list).ab.ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:11
S76	86	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:12
S77	0	((redunda\$4 or duplicate or "same") with message with (send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:51
S78	38	((redunda\$4 or duplicate or "same") with message and (send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:15
S79	69	((send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:19
S80	31	S79 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:16
S81	1	((send\$4 or transmit\$4) with (updat\$4) with (connection) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:20
S82	9	((send\$4 or transmit\$4) with (updat\$4) with (connection) adj2 list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21

S83	97	((send\$4 or transmit\$4) with (updat\$4) with (connection) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:25
S84	88	S83 not S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S85	88	S84 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S86	27	updat\$4 with (p2p or peer\$5peer or peer) with list same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:27
S87	5	updat\$4 with (p2p or peer\$5peer or peer) adj3 message with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:27
S88	22874	(multiple or many) with "same" with connection and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:52
S89	23	(multiple or many) with "same" with connection with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:53
S90	2	(multiple or many) with "same" with connection with updat\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:52
S91	0	("peer to peer" or P2P) same (message or identification) with (redundan\$4 or duplicate) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:43

S92	0	("peer to peer" or P2P) same (message or identification) same (redundan\$4 or duplicate) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:43
S93	0	("peer to peer" or P2P) same (reduc\$4) with (duplicat\$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:44
S94	1	("peer to peer" or P2P) and (reduc\$4) with (duplicat\$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:49
S95	668	(reduc\$4) with (duplicat\$4 or "same") with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:40
S96	1	(reduc\$4) with (duplicat\$4 or "same") with message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50
S97	193	(duplicat\$4 or "same") with message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50
S98	61	(duplicat\$4 or "same") near2 message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:51
S99	2	broadcast\$4 same (duplicat\$4 or "same") near2 message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50
S100	313	((broad\$cast\$4) with (message or data) with redunda\$4) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:06

S101	79	((broad\$cast\$4) with (message or data) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:07
S102	19	((broad\$cast\$4) with (message) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S103	546	((message) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S104	6	((message) with redunda\$4 with list).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S105	32	((message) with redunda\$4 with list)and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:10
S106	26	S105 not S104	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:11
S107	18	((message) with redunda\$4 with list)and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:10
S108	39	(reduc\$4) with (duplicat\$4 or "same") with message and ("p2p" or (peer adj2 peer)) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:01
S109	12	(reduc\$4) with (duplicat\$4 or "same") with message with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:56

S110	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:56
S111	24	(reduc\$4) with (duplicat\$4 or "same") with message and ("p2p" or (peer adj2 peer)) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S112	992	("p2p" or (peer adj2 peer)) with messag\$4 and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S113	1592	("p2p" or (peer adj2 peer)) with messag\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S114	732	("p2p" or (peer adj2 peer)) near2 messag\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S115	4	("p2p" or (peer adj2 peer)) near2 messag\$4 same (send\$4 or transmit\$4) with (message) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:11
S116	7	("p2p" or (peer adj2 peer)) near2 messag\$4 same (duplicate or "same" or identical or exact) same (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:15
S117	6	("p2p" or (peer adj2 peer)) near2 messag\$4 same (duplicate or "same" or identical or exact) same (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:17
S118	188	("p2p" or (peer adj2 peer)) and (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:17



S119	25	("p2p" or (peer adj2 peer)) same (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:21
S120	17	("p2p" or (peer adj2 peer)) same (connect\$4) with message with (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:33
S121	1	("p2p" or (peer adj2 peer)) and (duplicate or "same" or identical) near2 (connect\$4) with message with (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:34
S122	15	(duplicate or "same" or identical) near2 (connect\$4) with message with (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:35
S123	3	(duplicate or "same" or identical) near2 (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:42
S124	2573	(determin\$4) with (duplicate or "same" or identical) with (message or request) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:43
S125	345	(determin\$4) with (duplicate or "same" or identical) with (message or request) same (table or list) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 10:09
S126	737	(determin\$4) with (duplicate or "same" or identical) with (message or request) same (table or list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:44
S127	131	(determin\$4) with (duplicate or identical) with (message or request) same (table or list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:44

S128	305	S125 not S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 10:08
S129	30	(determin\$4) with (duplicate or "same" or identical) with (message or request) same (table or list) and ("p2P" or (peer near2 peer)) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 10:10
S130	63	message near3 source with origin and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:12
S131	0	("do not") with (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S132	0	("do not") same (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S133	524	("do not" or "don't") same (send \$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S134	174	("do not" or "don't") with (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S135	2	("do not" or "don't") with (send\$4 or transmit\$4) with message with update and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:17
S136	0	("do not" or "don't") with (send\$4 or transmit\$4) with message same ("p2P" or "peer to peer") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:18

S137	0	("do not" or "don't") with (send\$4 or transmit\$4) with message and ("p2P" or "peer to peer") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 10:19
S138	20	(redunda\$4 or un\$want\$4 or repetiti\$4) with message and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:57
S139	0	("peer to peer" or P2P) same message same origin and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:58
S140	10	("peer to peer" or P2P) same origin and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:58
S141	160	origin with field same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:00
S142	12	source with origin with field same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:01
S143	13	source with origin with field same message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:05
S144	1	S143 not S142	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:05
S145	5	abort near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:06

S146	11	(abort or cancel\$4) near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:06
S147	1	("do not" or "don't") near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:09
S148	10	("do not" or "don't") with updat\$4 with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:09
S149	1	redunda\$4 with message same ("peer to peer" or P2P) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:12
S150	2	(redunda\$4 or updat\$4) with message same ("peer to peer" or P2P) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:13
S151	87	topolog\$4 near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:14
S152	0	("don't" or "do not") with (send\$4 or transmit\$4) with topolog\$4 near3 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:28
S153	1080	("don't" or "do not") with (send\$4 or transmit\$4) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:29
S154	174	("don't" or "do not") with (send\$4 or transmit\$4) with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:29

S155	9	("don't" or "do not") near2 (send \$4 or transmit\$4) near2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:29
S156	259	("don't" or "do not" or abort\$4) near2 (send\$4 or transmit\$4) near2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:33
S157	0	("don't" or "do not" or abort\$4) near2 (send\$4 or transmit\$4) near2 updat\$4 near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 14:34
S158	46	list near3 (peer or node) with updat\$4 near2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 15:08
S159	2	("20030126245").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 15:14
S160	6	("do not" or "don't") adj3 (send\$4 or transmit\$4) adj2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 15:19
S161	2	("20050086350").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:44
S162	1137	(identify\$4) with "same" with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:50
S163	40	(identify\$4) adj2 "same" adj2 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:50

S164	0	(identify\$4) adj2 "same" adj2 message and (p2p or "peer to peer") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:51
S165	539	alternate near3 path same messag\$4 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:54
S166	9	alternate near3 path same messag\$4 and ("peer to peer" or p2p) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:55
S167	11	(alternate or different or secondary) near3 path same messag\$4 and ("peer to peer" or p2p) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:56
S168	2	S167 not S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 17:56
S169	5004	redunda\$4 with message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:01
S170	99	redunda\$4 with message with updat\$4 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:01
S171	8	(redunda\$4 with message with updat\$4).ab.ti. and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:01
S172	17	(redunda\$4 adj2 message with updat\$4) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:05

S173	15	S172 not S171	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:05
S174	0	("200030126245").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:07
S175	2	("20030126245").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:08
S176	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 18:14
S177	293	compar\$4 with message with (ID or identification) same "same" and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 12:59
S178	109	compar\$4 with message with (ID or identification) with "same" and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 12:59
S179	17	(compar\$4 with message with (ID or identification) with "same").ab, ti. and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:00
S180	176	(send\$4 or transmit\$4) with message with (different or alternate) near3 path and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:07
S181	21	((send\$4 or transmit\$4) with message with (different or alternate) near3 path).ab,ti. and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:08
S182	0	(send\$4 or transmit\$4) with message with (different or alternate) near3 path same "do not" near4 (send\$4 or transmit\$4) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:11

S183	0	(send\$4 or transmit\$4) with message with (different or alternate) near3 path and "do not" near4 (send\$4 or transmit\$4) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:11
S184	3	(send\$4 or transmit\$4) with message with (different or alternate) near3 path same peer and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 13:11
S185	73	(p2p or "peer to peer") near3 messag\$4 and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:15
S186	0	(p2p or "peer to peer") near3 messag\$4 same identif\$4 with (origin or source) and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:16
S187	8	((p2p or "peer to peer") near3 messag\$4).ab,ti. and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:16
S188	8	(p2p or "peer to peer") near3 messag\$4 same (duplicate or "same") and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:18
S189	14	(p2p or "peer to peer") near3 messag\$4 and (duplicate or "same") near3 message and (@ad<="20031020" or @rlad<="20031020")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 09:19

**EAST Search History (I nterference)**

&lt; This search history is empty &gt;

**7/ 29/ 2009 11:23:24 AM****C:\ Documents and Settings\ btiv\ My Documents\ EAST\ Workspaces\ 10701014\_p2p\_same\_message.wsp**